DNA Methylation is Associated with Airflow Obstruction in Patients Living with Human Immunodeficiency Virus

Supplementary Figures

Ana I. Hernández Cordero,¹ Chen Xi Yang,¹ Ma'en Obeidat,¹ Julia Yang,¹ Julie MacIsaac,² Lisa McEwen,² David Lin,² Michael Kobor,² Richard M. Novak,³ Fleur Hudson,⁴ Hartwig Klinker,⁵ Nila Dharan,⁶ S.F. Paul Man,¹,7 Don D. Sin,¹,7 Ken M. Kunisaki,⁸ Janice M. Leung¹,7 for the INSIGHT START Pulmonary and Genomic Substudy Groups

- 1. Centre for Heart Lung Innovation, University of British Columbia, Vancouver, BC
- 2. Centre for Molecular Medicine and Therapeutics, University of British Columbia, Vancouver, BC, Canada
- 3. Section of Infectious Diseases, University of Illinois at Chicago, Chicago, IL, United States of America
- 4. MRC Clinical Trials Unit, University College London, London, United Kingdom
- 5. Medizinische Klinik und Poliklinik II, Universitätsklinikum Würzburg, Würzburg, Germany
- 6. Kirby Institute, Sydney, Australia
- 7. Division of Respiratory Medicine, Department of Medicine, University of British Columbia, Vancouver, BC, Canada
- 8. Minneapolis Veterans Affairs Health Care System, Section of Pulmonary, Critical Care and Sleep Medicine and the Division of Pulmonary, Allergy, Critical Care and Sleep Medicine, Department of Medicine, University of Minnesota, Minneapolis, MN, United States of America




Figure S1. Diagram of the study cohort. The diagram shows the exclusion criteria used to obtain the study cohort.




Figure S2. DMPs Associated with FEV₁ and FEV₁/FVC. The figure shows the absolute effect of a 1% change in methylation of the DMPs for FEV₁ (A) and FEV₁/FVC (B) (x-axis). The y-axis on the plots represents the level of statistical significance for each DMP. The dashed horizontal line in A and B represents the -log10 p-value that correspond to the FDR<0.1.




Figure S3. Top 10 KEGG biologic pathways enriched by genes identified for the FEV_1/FVC ratio. The axis on the figure represents the pathway's enrichment level of significance (x-axis) for each biologic pathway (y-axis). The size of the circles inside the figure area represents the number of overlapping genes between the genes in the pathways and the genes characterized by DMPs. The color green represents statistically significant enrichment based on the FDR < 0.1.




Figure S4. FEV₁ decline in PLWH over the course of a median of 5 years. The plot's x-and y-axis represent the number of years and forced expiratory volume in 1 second (FEV₁) records, respectively. Dots inside the plot represent records for the subjects in the study cohort. The red line represents the linear decline of FEV₁ over the course of the Strategic Timing of Antiretroviral Therapy (START) trial.




Figure S5. Overlapping of differentially methylated genes identified in previously published COPD and population-based cohorts shown in green [1,2] and in PLWH shown in purple. Panels represent the overlap with differentially methylated genes for (A) FEV1/FVC<0.70; (B) FEV1/FVC<LLN; (C) FEV1 (D) FEV1/FVC; (E) FEV1 decline.

References

- 1 Qiu W, Baccarelli A, Carey VJ, *et al.* Variable DNA Methylation Is Associated with Chronic Obstructive Pulmonary Disease and Lung Function. *Am J Respir Crit Care Med* 2012;**185**:373–81. doi:10.1164/rccm.201108-1382OC
- 2 de Vries M, Nedeljkovic I, van der Plaat DA, *et al.* DNA methylation is associated with lung function in never smokers. *Respiratory Research* 2019;**20**:268. doi:10.1186/s12931-019-1222-8